https://vlibrary.emro.who.int/journals/assiut-scientific-nursing-journal

# Information Technology: Nurses' Attitudes towards the Use of Computer and Their **Informatics Competences in Nursing Practice**

Nadia Mohamed El-Saved Ghonem<sup>1</sup>, Fatma Fouad Elsaved Ibrahim<sup>2</sup> & Rady Mubarak Ahmed Abd elrahman<sup>3</sup>

- <sup>1.</sup> Assistant professor of Nursing Administration, Faculty of Nursing, Suez-Canal University, Egypt.
- <sup>2.</sup> Lecturer of Nursing Administration, Faculty of Nursing, Beni- Suef University, Egypt
- <sup>3.</sup> Lecturer of Nursing Administration, Faculty of Nursing, Beni- Suef University, Egypt.

#### Abstract

Background: Nursing informatics must be integrated into daily nursing practise due to the growing complexity of the healthcare industry and the nursing profession, which will positively affect their attitudes toward information technology. Aim: This study aimed to assess the relationship between nurses' attitudes towards the use of computer and their informatics competencies in nursing practice. Methods: At Beni-Suef University Hospital, all inpatient care units utilized a descriptive, correlational design. The study included a convenient sample of 300 staff nurses from various departments. Researchers used the nurses' computers and information technology questionnaire tool and the nursing informatics competencies questionnaire. Results: Most of the nurses polled had negative attitudes toward nursing informatics, and the overall mean of the informatics competencies of the nurses polled was unsatisfactory. Conclusion: There was a significant positive correlation between the study participants' attitudes towards the use of computer and their overall informatics competencies. Recommendations: Design an appropriate training program to help nurses maintain familiarity with new information technologies, supporting hospitals with resources.

# Keywords: Information technology, Informatics competencies, Attitude, Practice & Nurses

### **Introduction:**

The health sector is constantly changing as new ways of treating diseases are found through research. Worldwide, information, communication, technology have significantly impacted healthcare practice. A new and essential idea in the health care system is using information systems and technologies to improve the quality and safety of patient care (Guna, Nita & Premono, 2020).

Nurses must use information and communication technology daily in today's healthcare system. In many places, using a computer is now a job requirement. So, nurses play a very important role as one of the largest providers of health services across the continuum of care, health promotion, and health care at different levels. Because nurses are the main people who collect and use information about patients, the quality of the information they access has always been important for good nursing care (Zareshahi, Mirzaei & Nasiriani, 2022).

Information technology (IT) is the creation, distribution, and use of information technology in health care to create, store, and manage health information (Nsouli & Vlachopoulos 2021). According to the American Nursing Informatics Association, an informatics nurse uses nursing, computer science, and information science to collect, process, and manage data to provide nursing principles, clinical care, education, research, and nursing knowledge development (Wager, Lee & Glaser, 2021).

Nursing informatics (NI) is a tool for giving safe. high-quality care to patients. It does this by letting the organization turn data into valuable knowledge. This, in turn, makes healthcare services more efficient and effective, which is reflected in the organization's overall outcome (Al-Balawi, Taie & Alsesei, 2020). Nurses can use technology to find, understand, organise, and evaluate information from different sources to help them make better decisions about patient care and solve problems (Singh & Masango,

Also, nursing informatics can lead to better care for patients. But it doesn't look like nursing informatics is making the changes hoped for in nursing services. This could be because nurses don't have the right skills or don't know enough about IT. Because of this, nurses need to know more about health information technology and management and more informatics training (Farokhzadian et al., 2020).

To be competent, you must combine your knowledge, skills, and abilities, such as your values, attitudes, critical thinking, and the ability to make clinical decisions. Every nurse must know much about informatics to provide safe, high-quality care. In addition to promoting safe and high-quality nursing practise, ensuring the right thing is done, helping nursing grow as a profession, making nursing

89 Print Issn: 2314-8845 Online Issn: 2682-3799

education better, and knowing one's limits (Kinnunen et al., 2022). "Nursing informatics competencies" (NIC) means "an acceptable level of knowledge, skills, and ability to do specific informatics tasks." (Kinnunen et al., 2022). Also, nurses must have the necessary (NIC) knowledge, skills, and attitudes to advance in their education and be ready for their nursing jobs (Mohamed & Abouzaied, 2021).

The attitudes of employees are a significant factor that will probably affect how well information technology is put into place. Negative attitudes make it harder for staff to accept and use information technology well. Nurses' attitudes toward its use primarily determine the adoption of a computerized system (Koltsida & Jonasson, 2021).

How users feel about computers is likely to directly affect how well computer systems are used in nursing practise. So, how nurses feel about using computers is very important. For using computers in healthcare, there needs to be objective and comparable information about how nurses feel about computer use and what makes them feel this way. The growth of hospital information systems has also greatly affected how nurses do their jobs (Joseph et al. 2019; Kamal 2021).

Attitudes are how nurses feel about doing something, either positively or negatively, and are critical to their career success. Attitudes can be expressed as feelings of liking or disliking using NI. The attitudes were assessed by asking nurses about their beliefs about the consequences of using (Terkes, Celik & Bektas, 2019).

### **Significance of the study:**

Information technology can help nurses work more efficiently while also benefiting patients and healthcare organizations, and it is becoming more common in the nursing workplace. Many nurses have little to know computer knowledge and skills concerning the applications used in their workplace. Improving information technology skills is one of the most important and urgent things that need to be done to grow nursing informatics as a field within nursing. Combining nursing and computer science can also help nurses get better at finding, collecting, and managing data and information in all areas of nursing, such as clinical practise, education, management, and research. This prompted the current study to assess the relationship between nurses' attitudes toward computer use and their informatics competencies in nursing practice.

### Aim of the study:

The study aimed to assess the relationship between nurses' attitudes toward the use of computer and their informatics competencies in nursing practice.

## **Research Questions:**

Q1: What are the levels of nurses' knowledge concerning informatics technology at Beni-Suef university hospital?

**Q2**: What are the levels of nurses' skills in relation to informatics technology in nursing practice at Beni-Suef university hospital?

Q3: What are staff nurses' attitudes toward using computer in nursing practice?

**Q4:** Is there a relation between nurses' attitudes toward computer use and their Informatics competencies in nursing practice?

# **Subjects and Methods:**

# Research Design

Considering the study's aim, a descriptive correlational research design was used.

## **Setting:**

The research was performed in the inpatient care units of Beni-Suef University Hospital, which included medical, surgical, critical care, orthopedic, hemodialysis, ear, nose and throat (ENT), pediatric units, obstetric units, emergency rooms, and operation rooms. It is a teaching hospital with 1420 beds. It is a non-profit hospital that provides outpatient, pharmacy, emergency, x-ray, physiotherapy, and paramedical services like dietary, laundry, and maintenance.

### **Subjects**

When data was gathered, 300 staff nurses from different departments in the same setting agreed to participate in the study and were recruited. In the sample, male and female staff nurses had worked in the study setting for at least a year. **Thompson (2012)** equation was used to calculate the sample size, which included the following parameters: population size (1200), probability (50 percent), Z at 95 percent confidence level (1.96), and error proportion d. (0.05).

# **Tools for Data Collection:**

There were two data collection tools used:

1<sup>st</sup> tool: Nurses Computers and Information Technology Questionnaire (NCITQ) adopted from Joseph et al., (2019), Watson & Carberry (2021). It consists of two parts:

**Part one:** Information about Socio-demographic characteristics as; age, gender, marital status, education level and years of nursing experience.

**Part two:** A 5-point Likert scale was used to determine how nurses felt about using computers. It has 20 items, such as the use of information technology will lower the cost of health care, the use of information technology has led to the loss of nursing jobs in health care organizations, and so on. On a five-point Likert scale from 1 for (strongly disagree) to 5 for (strongly agree), the answers were

given a grade (strongly agree). Scores on a scale were added up and put into two groups: positive ( $\geq$ 85%) and negative (<85%).

2<sup>nd</sup> tool: The investigators created the Nursing Informatics Competencies Questionnaire after reviewing related literature (**Khezri & Abdekhoda 2019, Farzandipour et al. 2021**). It consisted of three sections with 47 items, as follows:

**Section I:** Basic computer skills contained 17 items, such as "I have basic computer skills," "I can turn on and off my computer," "I can solve common computer problems," "I know how to use the Internet safely" ...etc.

**Section II:** Nurses' informatics knowledge (15 items), such as "I know how to use the file management functions in PC operating systems, and I am able to describe the information needed for nursing among other key terms and concepts, etc.

Section III: Informatics skills of nurses (15 items), such as "I am able to collect data and information related to clinical care, and I am able to use HIS in the nursing profession, such as nursing records." A four-point Likert scale from 1 (very little) to 3 (very much) was used to rate. Scores on a scale were added up and put into two groups: satisfactory ( $\geq$ 65%) and unsatisfactory (<65%).

#### **Tool Validity:**

The face validity of the study tools was tested by five experts in nursing administration specialist from nursing faculties at different Egyptian Universities for clarity, applicability, and adequacy. These included three professors from Ain Shams University, one professor from Suez Canal University, and one assistant professor from Zagazig University. Minor modifications were done based on their opinions.

#### Tool reliability:

Cronbach's alpha coefficient was used to test the tools in this study. The Nurses Computers and Information Technology Questionnaire had a value of 0.7633, and the Nursing Informatics Competencies Questionnaire had a value of 0.745, which was a good score for reliability.

### **Pilot Study**

Thirty nurses from Beni Suef University Hospital participated in a pilot study (ten percent of the sample size). The study's sample was made up of these nurses. The aim of the pilot study was to make sure that the translated tools were precise, identify potential obstacles and problems during data collection, and estimate the time required to complete the questionnaires. As a result of the pilot study's findings, some items were modified.

# Fieldwork:

We obtained permission to conduct this study from the director of Beni-Suief University Hospital and the nursing director. The researchers met with study participants at their workplaces who were available and willing to participate. The aim and nature of the research were then clarified to facilitate data collection. After consulting with the nurses' schedule, this was done in both the morning and afternoon shifts. Each participant took about 30 minutes to complete the questionnaire sheets. It was returned the following day. The data collection process lasted two months, Middle of November, 2022 to Middle of January, 2023.

# Administrative design:

The Dean of Faculty of Nursing at Beni-Suef University gave permission to conduct the study in an official letter to the Director of Beni-Suef University Hospital. It contained the study's aim and a photocopy of the data collection tools to obtain permission and cooperation for the study's implementation and data collection. The director granted permission and directed the nursing hospital director to help the researchers with their mission.

#### **Ethical considerations:**

The research ethics committee at faculty of medicine, Beni-Suef University approved the study protocol. Each participant provided oral informed consent after being informed about the study's aim and procedures. They were told they could say no or quit at any time and that any information they gave would be kept private. The way the study was done couldn't hurt the people who took part.

# **Statistical Analysis**

Using the statistical package for social sciences, the collected data were looked at in terms of frequencies and percentages for categorical variables (SPSS 22.0). The means and standard deviations were used for variables that were always the same. The Pearson correlation coefficient was used to figure out how the study variables were related to each other. Chi-square tests were used for correlating categorical variables. High significance at p <  $0.01^{**}$  and slight significance at p<0.05\*.

# **Results**

Table (1): Frequency distribution of studied nurses regarding their socio-demographic characteristics (n=300)

Socio-Demographic Characteristics	N	%
Gender	·	
- Male	93	31
- Female	207	69
Age		•
- < 25 yrs.	39	13
- 25<30 yrs.	186	62
- 30<35	45	15
- ≥ 35 yrs.	30	10
Mean±SD	28.98	3±3.68
Marital Status		
- Married	177	59
- Unmarried	123	41
Education		
- Diploma in Nursing	79	26.3
- Bachelor in Nursing	164	54.7
- Graduate Studied	57	19
Experience		
- < 5 yrs.	175	58.3
- 5<10 yrs.	90	30
$- \ge 10$ yrs.	35	11.7
Mean±SD	4.67	±1.39
Having Computer at Home		
- Yes	245	81.7
- No	55	18.3
Having Computer at Work		
- Yes	177	59
- No	123	41
Training		
- Yes	180	60
- No	120	40
Source of Training		
- Personal	107	35.6
- Work	63	21
- Study	10	3.4

Table (2): Mean, standard deviations and correlation matrix between study variables (n=300)

No.	Variables		1	2	3	4	5	Max	Mean±SD (Mean %)
1	Attitudes r							105	76.54±11.37
		P-value							(72.9)
2	Basic Computer	r	0.655					68	35.67±6.98
	Skills	P-value	0.000**						(52.5)
3	Informatics Skills	r	0.432	0.322				60	29.83±5.43
		P-value	0.000**	0.022*					(49.7)
4	Informatics	r	0.592	0.489	0.644			60	32.78±4.97
	Knowledge	P-value	0.000**	0.005**	0.000**				(54.6)
5	Overall	r	0.614	0.591	0.449	0.327		188	98.56±23.89
	Competencies	P-value	0.000**	0.000**	0.000**	0.023*			(52.42)

Table (3): Frequency distribution of studied nurses regarding informatics competencies and attitudes toward computer use (n=300).

No	Varia	N	%	
1	Attitudes to computer use	Positive	75	25
		Negative	225	75
2	Basic Computer Skills	Satisfactory	109	36.3
		Unsatisfactory	191	63.7
3	Informatics Skills	Satisfactory	95	31.7
		Unsatisfactory	205	68.3
4	Informatics Knowledge	Satisfactory	115	38.3
		Unsatisfactory	185	61.7
5	Overall Competencies	Satisfactory	110	36.7
		Unsatisfactory	190	63.3

Table (4): The relation between studied nurses' attitudes to computer use, informatics competencies and their socio-demographic characteristics (n=300).

Socio-	Attitudes						<b>Informatics Competencies</b>					
Demographic	Satisf	factory	Unsatis	sfactory	$\chi^2$	P-	Satisf	Satisfactory Unsatisfactory		$\chi^2$	Р-	
Characteristics	N	%	N	%		value	N	%	N	%		value
Gender												
- Male	65	21.7	28	9.3	91.01	0.000**	, 75	25	18	6	102.07	0.000**
- Female	30	10	177	59	91.01	0.000	40	13.3	167	55.7	102.07	0.000
Age												
- < 25 yrs.	25	8.3	14	4.7			30	10	9	3		
- 25<30 yrs.	39	13	147	49			44	14.7	142	47.3		
- 30<35	16	5.3	29	9.7	33.77	0.000**	\$ 22	7.3	23	7.7	72.62	0.000**
$- \ge 35$ yrs.	15	5	15	5			18	6	12	4		
<b>Marital Status</b>												
- Married	42	14	135	45	12.57	0.000**	52	17.3	125	41.7	14.64	0.000**
- Unmarried	53	17.7	70	23.3	12.57	2.57 0.000***	63	21	60	20	14.04	0.000***
Experience												
- < 5 yrs.	43	14.3	132	44			53	17.7	122	40.7		
- 5<10 yrs.	29	9.7	61	20.4	22.83	0.000**	34	11.3	56	18.7	30.51	0.000**
$- \ge 10$ yrs.	23	7.7	12	4	22.83	0.000	28	9.3	7	2.3	30.31	0.000
Having Compu	iter at 1	Home										
- Yes	60	20	185	61.7	31.81	0.000**	70	23.3	175	58.3	53.87	0.000**
- No	35	11.7	20	6.7	31.61	0.000	45	15	10	3.4	33.67	0.000
Having Compu	Having Computer at Work											
- Yes	65	21.7	112	37.3	5.10	0.024*	82	27.3	95	31.7	18.64	0.000**
- No	30	10	93	31	3.10	0.024**	27	9	96	32	18.04	0.000***
Training	Training											
- Yes	73	24.3	107	35.7	16.43	0.000**	90	30	90	30	36.33	0.000**
- No	22	7.3	98	32.7	10.43	0.000***	19	6.3	101	33.7	30.33	0.000***

**Table (1):** The social and demographic details of the nurses who were studied are summed up in. More than two-thirds (69%) of the nurses studied were female. Regarding age, roughly two-thirds of the nurses studied (62 percent) were between the ages of 25 and 30 years, with a mean age of 28.98(3.68). More than half of them had a bachelor's degree in

nursing, were married, and had less than five years of experience (54.7 percent, 59 percent, and 58.3 percent, respectively). Regarding computer access, most studied nurses had computers at home and work (81.7% and 59%, respectively). About two-thirds of the nurses who were studied (60%) had training in basic computer skills.

**Table (2):** Illustrates the means, standard deviations, and correlation matrix between study variables. The overall mean of the studied nurses' attitudes was  $76.54 \pm 11.37$ , with a mean percentage of 72.9%, meaning that most of the studied nurses had negative attitudes toward nursing informatics. The overall mean of the studied nurses' informatics competencies was  $(98.56 \pm 23.89)$  with a mean percentage of 52.42%, indicating unsatisfactory informatics competencies. Regarding informatics competencies sub-dimensions, the mean scores for basic computer skills, informatics skills, and informatics knowledge were  $(35.67 \pm 6.98, 29.83 \pm 5.43, \text{ and } 32.78 \pm 4.97),$ respectively, which indicated unsatisfactory levels in all dimensions. Concerning the relationships between the study's variables, there was a significant positive correlation (r = 0.614, P = 0.000) between the nurses' attitudes to computer use and their overall nursing informatics competencies.

**Table (3):** Shows how the nurses who were studied were spread out in terms of their skills and feelings about nursing informatics. Three-quarters of the studied nurses (75%) reported negative attitudes toward nursing informatics. Almost two-thirds of the nurses studied (63.3%) reported unsatisfactory overall nursing informatics competencies.

**Table (4):** Shows the relationship between the studied nurses' attitudes, overall informatics competencies, and socio-demographic characteristics. Gender (P=0.000), age (P=0.000), marital status (P=0.000), experience (P=0.000), having a computer at home (P=0.000), having a computer at work (P=0.024), and training (P = 0.000) were all associated with positive attitudes among the nurses studied. There were also significant relationships between the overall informatics competencies of the nurses studied and their gender (P=0.000), age (P=0.000), marital status (P=0.000), experience (P=0.000), having a computer at home (P=0.000), having a computer at work (P=0.000), and training (P=0.000).

#### **Discussion:**

Most people using health information technology are nurses, who comprise the largest group of people working in health care. Nurses use workarounds that reduce the benefits of these technologies, which are suitable for the health of the population and the health system. This raises safety concerns (Rathert et al. 2019). But the main thing that keeps computerized systems from being used in healthcare settings is how nurses feel about using computers. The way nurses feel about using computers depends on who they are, what technology they use, and how their workplace is set up (Kaya 2011).

The current study's findings regarding nurses' attitudes toward information technology revealed that

most nurses studied had negative attitudes toward nursing informatics. According to the researchers, this could be due to nurses' concerns that computerization would lead to job losses and/or data loss. The nurses were also worried that they would spend more time with computers and less time with patients.

These results were the same as those of **Seboka**, **Yilma and Birhanu**, (2021) and **Singh**, & **Masango**, (2020), who also found that nurses didn't like computerization in the workplace. These results contradicted **Al-Rawajfah et al.** (2016), who found that nurses generally supported workplace computerization. According to **AL-Rawajfah** (2016), healthcare generally accepts computers.

The results of this study about nurses' skill levels showed that their skill levels were not good enough. The researcher says these results are because not all nurses are involved in making goals, policies, and practises for the system. Only supervisors and the most experienced nurses are involved, and most nurses don't get any training on how to use computers in clinical practise settings.

This finding is consistent with Liston (2019) finding that nurses lacked informatics competency, as well as Farokhzadian et al. (2020) and Al-Humran, Mohammad & Malakeh,(2022) findings that nurses lacked informatics competency. According to Alshammari et al. (2017) and Hassona & Ali (2019), nurses who participated in competency scales scored above the competent level. Also, the previous results of this research didn't match those of Elsayed, Hussein and Othman, (2017) & Kinnunen, Kuusisto et al. (2022), who found that staff nurses knew a lot about how to use computers.

Regarding the sub-dimensions of informatics competencies, according to the study's findings, the mean scores for basic computer skills, informatics skills, and informatics knowledge indicated unsatisfactory levels in all dimensions, this is due to a lack of encouragement from managers, computer training, and a lack of hospital computers. More senior staff prioritize computers, and other staff does not have enough time to use computers in addition to their work. Load and nursing staff shortages, all of these can reduce nurses' competency.

These finding consistent with **Khezri & Abdekhoda** (2019) found that the average score on the computer skills subscale was the lowest compared to the informatics knowledge and informatics skill subscales. **Farzandipour, Mohamadian et al.** (2021) also found that nurses were not very good at knowing about informatics, using computers, and knowing about informatics. But inconsistent with **Seo et al.** (2019) found that nurses had advanced skills in clinical informatics, basic computer skills, critical

roles in NI, and clinical application skills. However, these results show that this is not the case.

Regarding how the study variables were linked, the current results showed a strong positive link between the nurses' attitudes to computer use and their overall informatics competencies. This is because nurses with advanced competencies in informatics liked the idea of using NI in the health care system and nursing field. Using informatics competencies in nursing will also make you feel better about your job as a caregiver. **Mohamed & Abouzaied (2021)** found significant positive correlations in all subscale areas of the self-assessed NI competencies and attitudes of the group they looked at.

The results showed a strong link between the nurses' attitudes to use of computer and their gender, age, marital status, experience, having a computer at home, having a computer at work, having training, and having a computer at both places. This is because as nurses age, they realize the importance of computers in their lives and gain more experience. Because they used computers when they were younger, they seem to have a more positive view of technology and a better understanding of how it can be used in education and nursing. This result was in line with Kaya (2011) findings, who also said that age significantly affects how nurses feel about using computers. This is also in line with what found. They found that nurses' attitudes toward computers in healthcare were much more favorable than those of married nurses.

Furthermore, Gonen & Lev-Ari (2016) found that nurses who had worked longer had a better view of computers. The results of this study disagree with those of Ayşegül et al. (2018), who found that a positive attitude was statistically significant when it came to the age of the healthcare workers, the institution where they worked, and how long they had been using computers, but not when it came to gender, education level, job, or using computers at work. Ademuyiwa, Faleke and Otetubi, (2020) found that people of all ages had the same feelings about computers in healthcare.

Significant relationships existed between studied nurses' overall informatics competencies and gender, age, marital status, experience, a computer at home, a computer at work, and training. According to the researchers, younger nurses are more open to and familiar with technology than older nurses. On the other hand, older nurses are encouraged to be more open to technology to meet the challenges of providing quality healthcare in the twenty-first century. Mohamed et al. (2022) also found that nurses' informatics skills changed significantly depending on their age, level of education, years of experience, and where they worked. They also found

that the number of years of experience had the opposite effect on their nursing informatics skills.

In the same line, these findings concur with Rizany, Hariyati & Handayani, (2018), who discovered that Personal factors like age, gender, and education had been found to affect how well nurses get better at their jobs. Bove & Sauer (2022) also concluded that informatics competency is significantly related to age, gender, and years of experience. These findings are consistent with the findings of Kleib & Nagle (2018), who found that scores on informatics skills were very different depending on age, education, years of experience, and work setting. Liston (2019), on the other hand, said that age, experience, education level, and gender had no statistically significant effect on informatics competency scores. Mohamed (2022) & Liston (2019) discovered no statistical link between education level and nursing informatics skills.

### **Conclusion:**

The results of this study show that most nurses studied had negative attitudes toward nursing informatics. The overall mean of the informatics competencies of the nurses studied indicated unsatisfactory informatics competencies. The subdimensions of informatics competencies and the mean score for basic computer skills, informatics skills, and informatics knowledge were all unsatisfactory. There was a significant positive correlation between the nurses' attitudes and their overall informatics competencies.

### **Recommendations:**

Based on what this study found, it is suggested that the following:

- Designing appropriate training programs to help nurses maintain familiarity with new information technologies.
- Provide resources and funding to hospitals to build the infrastructure required to promote nurses' competence in nursing informatics and new technologies.
- Providing opportunities for faculty staff to learn and develop nursing informatics skills to prepare them to integrate this course into the faculty curriculum and courses they teach.
- Develop more research to determine how nursing informatics competencies and patient safety are related
- Conduct an evaluation system, include nursing informatics competencies.
- Conducts competency-based nursing informatics training programs for nursing staff based on their needs and to keep them up to date on new skills.

#### **References:**

- Ademuyiwa, I., Faleke S., & Otetubi E. (2020): "Knowledge and Use of Nursing Informatics among Nurses in a University Teaching Hospital in Lagos, Nigeria".
- Al-Balawi, Z., Taie S., & Alsesei N. (2020):
  Nursing Informatics Competency Based
  Assessment for Nursing Personnel in Primary
  Healthcare Centers in Tabuk, King Abdul-Aziz
  University.
- Al-Humran, B., Mohammad, S., & Malakeh, Z. (2022): The Relationship Between Nursing Informatics Competency and Clinical Decision-Making Among Nurses in West Bank, Palestine. CIN: Computers, Informatics, Nursing: August 2022 Volume 40 Issue 8 p 547-553 doi: 10.1097/CIN.000000000000000090
- AL-Rawajfah, O. (2016): "Infection control practices among intensive care unit registered nurses: a Jordanian national study." Nursing in critical care 21(2): e-20e27.
- Alshammari, F., Pasay-an E., & Indonto C. (2017): "Competencies in Nursing Informatics in the Saudi Arabian Context: A Sequential Explanatory Study." Philippine Journal of Nursing 87(2): 45-55.
- Ayşegül, K. Mahmut, Dilek, Ö., Erdal C., & Kamile S. (2018): "Health Care Professionals' Attitudes about Using Computer. LOJ Nur Heal Car 1 (3)-2018." LOJNHC. MS. ID 111.
- Bove, L., & Sauer P. (2022): "Nursing Faculty Informatics Competencies." CIN: Computers, Informatics, Nursing.
- Elsayed, W., Hussein F., & Othman N. (2017): "Relation between nursing informatics competency and Nurses' attitude toward evidence-based practice among qualified nurses at Mansoura oncology center." International Journal of Nursing Didactics 7(6): 26-33.
- Farokhzadian, J., Khajouei, R., Hasman A., & Ahmadian L. (2020): "Nurses' experiences and viewpoints about the benefits of adopting information technology in health care: a qualitative study in Iran." BMC Medical Informatics and Decision Making 20(1): 1-12.
- Farzandipour, M., Mohamadian, H., Akbari, H., Safari S., & Sharif R. (2021): "Designing a national model for assessment of nursing informatics competency." BMC medical informatics and decision making 21(1): 1-12.
- Gonen, A., & Lev-Ari L. (2016): "The relationship between work climate and nurse educators' use of information technology." Nurse Education Today 39: 1-6.
- Guna, S., Nita Y., & Premono J. (2020): "Barriers and Opportunities of Using Electronic Nursing

- Record in Indonesia: Nurses' Perspective." ICIC Express Letters Part B: Application 11(12): 1159-1164.
- Hassona, F., & Ali A. (2019): "Relationship between Nursing Informatics Competency and Innovativeness among Qualified Nurses." Evidence-Based Nursing Research 1(3): 9-9.
- Joseph, M., Inayat, A., Hussain M., & Afzal M. (2019): "Factors influencing nurses' attitudes towards information technology in nursing practice." European Academic Research 7(3): 1751-1769
- Kamal, P. (2021): Benefits of Technologies for Nurses and Residents in A Nursing Home – A Descriptive Literature Review. Bachelor's Thesis, Lapland University of Applied Sciences.
- **Kaya, N.** (2011): "Factors affecting nurses' attitudes toward computers in healthcare." CIN: Computers, Informatics, Nursing 29(2): 121-129.
- Khezri, H., & Abdekhoda M. (2019): Assessing nurses' informatics competency and identifying its related factors." Journal of Research in Nursing 24(7): 529-538.
- Kinnunen, U.-M., Kuusisto, A., Ahonen, O. Koponen, S. Kaihlanen, A. Hassinen T. & Vehko T. (2022): "Nurses' informatics competency assessment of health information system usage: a cross-sectional survey." Research Square.
- Kleib, M., & Nagle L. (2018): "Factors associated with Canadian nurses' informatics competency." CIN: Computers, Informatics, Nursing 36(8): 406-415.
- **Koltsida, V., & Jonasson L.-L. (2021):** "Registered nurses' experiences of information technology use in home health care-from a sustainable development perspective." BMC nursing 20(1): 1-8.
- Liston, J., (2019): Advanced Informatics competencies of nurses at sutter maternity and surgery. PhD, San Jose State University.
- Mohamed, L., & Abouzaied M. (2021): "Self-assessment of nursing informatics competencies and attitudes among baccalaureate-nursing students." Egyptian Nursing Journal 18(1): 28.
- Mohamed, T., Abdallah A., Abdelwahab K., & Elsayed A. (2022): "Factors Contributing to The Application of Information Technology System and Their Benefits." Port Said Scientific Journal of Nursing 9(1): 52-76.
- Nsouli, R., & Vlachopoulos D. (2021): "Attitudes of nursing faculty members toward technology and e-learning in Lebanon." BMC nursing 20(1): 1-15.
- Rathert, C., Porter, T., Mittler J., & Fleig-Palmer M. (2019): "Seven years after Meaningful Use: Physicians' and nurses' experiences with

- electronic health records." Health care management review 44(1): 30-40.
- Rizany, I., Hariyati R., & Handayani H. (2018): "Factors that affect the development of nurses' competencies: a systematic review." Enfermeria clinica 28: 154-157.
- Seboka, B., Yilma T., & & Birhanu A., (2021): "Factors influencing healthcare providers' attitude and willingness to use information technology in diabetes management." BMC medical informatics and decision making 21(1): 1-10.
- **Steven K., Thompson., (2012):** Sampling' 3<sup>rd</sup> ed, John Wiley & Sons, p59-60.
- Seo, K., Min, Y., Choi S.-H., & Lee H. (2019): "Evaluation of the Korean version of the self-assessment of nursing informatics competencies scale." BMC nursing 18(1): 1-9.
- Singh, F., & Masango T. (2020): "Information technology in nursing education: perspectives of student nurses ".The Open Nursing Journal 14.(1)
- Terkes, N., Celik F., & Bektas H. (2019): "Determination of nursing students' attitudes towards the use of technology." Japan Journal of Nursing Science 16(1): 17-24.
- Thompson, S. (2012): Sampling, John Wiley & Sons.
- Wager, K., Lee F., & Glaser J. (2021): Health care information systems: a practical approach for health care management, John Wiley & Sons.
- Watson, D., & Carberry M. (2021): "Nurses' experiences of recording vital signs electronically: a pilot study." Nursing Times: 53-56.
- Zareshahi, M., Mirzaei S., & Nasiriani K. (2022): "Nursing informatics competencies in critical care unit." Health Informatics Journal 28(1): 14604582221083843.